

# The Dry Lining Experts

Specialist products for  
specialist applications





The professional's choice for cartridge nailing. Fully automatic, the Spitfire P370 is the easiest tool in the market to disassemble and maintain. It is supplied in a high impact lightweight carry case, with safety goggles to EN166:B, cleaning cloth, cleaning brushes, lubricating oil, push rod, stabiliser and instruction manual.

### Advantages

- Automatic piston return - high install rate with low user fatigue
- Magazine - automatic firing of up to 10 nails
- Disc system - sequential disc system means no loads are wasted
- Power - can be adjusted to suit application and base material
- Energy absorbing bumper - absorbs vibration and reduces recoil
- Window - user can see if a disc is loaded in the tool
- Reload identification marker - informs the user when to reload the tool
- Adjustable magazine 4 x 90° - gives the user access in confined areas
- Easy Maintenance - Quick and easy to dismantle, clean and reassemble
- BSI and CIP accredited - quality tool meets all UK / International regulations

### Typical applications

- Fixing timber sole plates
- Fixing kicker plates
- Formwork spacers
- Fixing fire protection brackets
- Fixing brick Ties
- Waterproofing / drainage
- Fixing dry lining track to concrete
- Wood sheeting (25mm)
- Fixing insulation (adaptor kit required)

VJT Code	Description	Length (mm)	Box Qty
07400025	P370 Cartridge Tool	n/a	1
07700030	P370 C925 Pin for Concrete (032520)	25	100
07700040	P370 C930 Pin for Concrete (032530)	30	100
07700060	P370 C940 Pin for Concrete (032550)	40	100
07700120	P370 SC915 Pin for Steel (032500)	15	100
07700130	P370 SC920 Pin for Steel (032510)	20	100
07600020	P370 Yellow Cartridges - Medium (031700)	n/a	100
07600090	P370 Red Cartridges High (011658)	n/a	100

### Specification

	Single Shot	With Magazine
Weight	2.7kg	2.88kg
Length	440mm	455mm
Magazine capacity	1 nail	10 nails (1 strip)
Impact force	350J	350J
Actuation pressure	17kg	17kg
Fastening / Fixing rate	1 nail every second	1 nail every 2 seconds
Rubber spring life	>5,000 nails	>3,000 nails



A cordless Gas Tool and is the fastest method of fixing for drywall contractors - a secure and fast solution for fixing to concrete and steel. The tool is supplied in a high impact carry case, with 2 batteries as standard, a battery charger, safety glasses to EN166:F, Allen key and instruction manual.

### Specification

**Weight**  
3.6kg

**Dimensions**  
383 x 295 x 100mm

**Magazine capacity**  
20 nails / 40 magazine available

**Impact force**  
100J

**Actuation pressure**  
5kg

**Overdrive**  
4mm

**Intermittent operation**  
2 nails per second

**Fuel cell life**  
650 nails (approx)

**Battery charge capacity**  
1,500 nails (approx)

**Voltage**  
6V

**Amperage**  
600mA

**Charge time**  
1 hour

**Max. number charges**  
1,000

### Advantages

- HC6 Hard Concrete & Steel Pins for increased stress at fixing
- Improved visibility for easy more precise fixing
- Improved air inlet and outlet filters to keep you working for longer
- Improved performance, power, visibility and balance
- New body armour to improve tool durability
- Easy access to drive adjuster

### Typical applications

- Fixing drywall track systems to concrete, masonry, block and structural steel
- Fixing timber up to 27mm thick to concrete, brick, block and structural steel
- Fixing fire protection systems to steel
- Fixing angles to concrete, brick, block and structural steel (using EML to concrete, brick, block and structural steel (using 25mm steel washers and magnetic pin guide)

VJT Code	Description	Length (mm)	Box Qty
06500010	Pulsa 700P Tool	n/a	1
06600070	Pulsa 700 SC6/15 500 Nails & 1 Gas (Steel)	15	500
06600080	Pulsa 700 C6/20 500 Nails & 1 Gas (Concrete)	20	500
06600090	Pulsa 700 C6/25 500 Nails & 1 Gas (Concrete)	25	500
06600120	Pulsa 700 C6/40FH 500 Nails & 1 Gas (Concrete)	40	500
06600125	Pulsa 700 HC6-15 Extra Hard 500 Nails & 1 Gas	15	500
06600140	Pulsa 700 HC6-22 Extra Hard 500 Nails & 1 Gas	22	500



VJT Code	Description	Drill-Ø (mm)	Max. Fixture Thickness (mm)	Embed Depth (mm)	Min. Drill Depth (mm)	Overall Length (mm)	Rec. Tensile load C20/25 Concrete (kN)	Box Qty
00600020	Hammer In TDN 6/5/40 All Steel	6	5	32	40	40	0.5	100
00600030	Hammer In TDN 6/40/70 All Steel	6	40	32	40	70	0.5	100
00600060	Hammer In Ceiling Angle Bracket 25 x 25 CB1	-	-	-	-	-	-	100
00600065	GL2 Gypliner Brackets 195mm	-	-	-	-	-	-	?
00600067	GL9 Gypliner Brackets 295mm	-	-	-	-	-	-	?
00600090	Zamac Nail In TPZ 6x50	6	20	30	40	50	0.9	100

VJT Code	Description	Size (mm)	Colour	Box Qty
01100080	Shims	35 x 45 x 10	Grey Plastic	1000
01100170	Shims	100 x 50 x 10	Grey Plastic	1000
01100180	Shims	100 x 50	Mixed	1300

VJT Code	Description	Drill-Ø (mm)	Max. Fixture Thickness (mm)	Embed Depth (mm)	Min. Drill Depth (mm)	Overall Length (mm)	Rec. Tensile load C20/25 Concrete (kN)	Box Qty
01200035	Hammerscrew Bzp	6/10/40	6	10	30	40	40	100
01200110	Hammerscrew Large Head Bzp	6/10/40	6	10	30	40	40	100
01900080	IDK-T 8/60 x 135 With Pin	8	100	35	45	135	0.2	200

VJT Code	Description	Size	Box Qty
02000010	Stick Pin	62mm with Retaining Disc	500
02000020	Stick Pin	110mm with Retaining Disc	500

VJT Code	Description	Size (mm)	Box Qty
02700170	Head Deflection Bracket	100	1
02700180	Head Deflection Bracket	150	1

VJT Code	Description	Size	Box Qty
09300040	SDS Plus Drill Bits	6 x 110mm	1
10000110	Mag Bit Holder	1/4 x 57mm	1
10100110	Philips Drywall Screwdriver Bits	No 2 x 25mm	25

VJT Code	Description	Size (mm)	Box Qty
13000010	Drywall Screw Bugle Head Bzp	25	1000
13000020	Drywall Screw Bugle Head Bzp	32	1000
13000040	Drywall Screw Bugle Head Bzp	42	1000
13100040	Drywall Screw Selfdrill Bugle Head Bzp	42	1000
13100120	Drywall Screw Selfdrill Waferhead Bzp	13	1000

VJT Code	Description	Diameter	Overall Length (mm)	Steel Thickness (mm)	Head Style	Box Qty
13600370	Teks ASF17SS Stafix SS 5.5 x 25 3Pt	5.5	25	1.2 - 5.3	Hex 5/16	100
13600970	Teks ASF79 Timberfix 4.8 x 38 3Pt	?	38	1.5 - 3.0	Csk - P2	100
13601190	Teks CFC26 Pancake 5.5 X 25 2PSD Drive 921166	?	?	?	?	?

VJT Code	Description / Size (mm)	Box Qty
13650280	Ejot JT2NH3 5.5 X 19 Low Profile	100



VVJT Code	Description	Screw Ø	Drive Style (mm)	Drill-Ø (mm)	Fixture Thickness (mm)	Min. Drill Depth	Min. Embed. (mm)	Overall Length (mm)	Box Qty
13400170	Tapcon 4H32 6.3 x 32 Hex - 921501	6	8 Hex	5	0 - 7	35	25	32	100




VJT Code	Description	Size (ml)	Colour	Box Qty
19200100	Silicone Low Mod	310	Neutral Grey	15
19400010	Gripfix - VJ	350		12



VJT Code	Description	Size (ml)	Colour	Box Qty
19500040	Gun Foam	750 VJ B2		12
19500090	Fireshield 4Hr Intumescent Acrylic	310	White	25
19500110	Intumastic ADL	900	White	9




VJT Code	Description	Reel Size (mm)	Fire Rating	Acoustic Rating	Coverage (Per Reel)	Box Qty
19500130	Putty Pad Roll	3600 178 x 3.2	x 2hours*	up to 69db Rw	Up to 20 Double Boxes or 27 Single Boxes	1



\*To BS476 Part 20

VJT Code	Description	Size (mm)	Type	Length (m)	Box Qty
22800585	SS Surface Fixed Channel	25 x 14	Slot	2.7	1
23800030	P1000T-Pg Channel	41 x 41	Slot	3	1
23800040	P1000T-Pg Channel	41 x 41	Slot	6	1
23800090	P3300T-Pg Channel	41 x 21	Slot	3	1



VJT Code	Description / Size (mm)	Box Qty
21000080	Discs Metal Cut 356 x 2.8 x 25 Chop Saw	1



VJT Code	Description / Size	Box Qty	VJT Code	Description / Size	Box Qty
01900008	Insulation Washer ITS 5/60	100	21500110	Pole Sanding Sheets 120 Grit	25
02900010	Wedge Nut M6 Rd60	100	21800130	Speedy Long Leg Hanger LLS50	20
20400070	Aluminium Foil 50mm	24	22600140	Bead 553 Galv Thin Coat Angle Bead 3mm x 3m	50
20400085	Tape Aluminium Foil 100mm	12	24800150	PPE Dust Masks 3M-8812	10
20400320	Fibre Scrim Tape 50mm	24	24800520	PPE Gloves Matrix P Grip Black Size 9	1
20400330	Waterproof Cloth Tape 50mm	24	24800550	Warrior Black Seamless Nylon Glove Size 9	1
20400370	Window Protection Blue Roll 500mm x 100m	1	24900180	Visqueen BBA Dpm 4m x 25m 1200 Gauge	1
20400380	Protecta Board 2.4 x 1.2 x 2mm Black	1	26700040	FAIASS2MYDC All Steel Shovel Square	1
20400450	Paper Tape 50mm x 150m	10	26700500	FS Floor Scraper Wooden Handle 48"	1
20400470	Flexible Metal Corner Tape 50mm x 30m	10	26050060	Bolle BANCI Bandido Safety Glasses	1
21500100	Pole Sanding Sheets 100 Grit	25			



Hand Arm Vibration Syndrome is a major health and safety risk for people working with power tools. It is a legal requirement to manage the risks from noise and vibration exposure. VJT has set up a purpose-built Noise and Vibration Control Group (NVCC) to advise and guide you on how to best manage these risks. We provide:

- Independent, expert advice
- Practical, relevant risk management
- Hassle-free support
- Alternative solutions
- On-site testing
- Supporting literature written in conjunction with the Federation of Plastering and Drywall Contractors (FPDC). For information, a version is available on their website <http://www.fpdc.org/fpdc-havs-tool-selector.aspx>

"V. J. Technology has worked with the FPDC to create a reference guide for drywall contractors that use power tools on a regular basis. This HAV Exposure Guide gives practical information on installing fixings safely without exceeding the limits set out in the Control of Vibration at Work Regulations 2005". FPDC

For more information, call 01233 652520



### Ashford

Technology House  
Brunswick Road  
Ashford  
Kent TN23 1EN

Telephone  
Switchboard 01233 637695  
Sales 01233 652550  
Technical 01233 652520  
Accounts 01233 652530  
Credit control 01233 652540

Fax  
Purchasing 01233 652599  
Sales 01233 664361  
Accounts 01233 613127  
Credit control 01233 646130  
Email: [enquiries@vjtechnology.com](mailto:enquiries@vjtechnology.com)

### Bristol

5 Fernhurst Road  
Fishponds Trading Estate  
Bristol BS5 7FG  
Tel: 0117 301 3633  
Fax: 0117 301 3634  
Email: [enquiries@vjtechnology.com](mailto:enquiries@vjtechnology.com)

### Stratford

140 Abbey Lane  
off Rick Roberts Way  
Stratford  
London  
E15 2RW.  
Tel: 020 8536 5401  
Fax: 020 8536 5405  
Email: [2012@vjtechnology.com](mailto:2012@vjtechnology.com)

