

The Carpentry Product Guide

Specialist products for specialist applications





The IM350 is the professional's choice for cordless first fix nailing applications.



Specification

Weight
3.1kg

Dimensions
368 x 300 x 100mm

Nail range
51mm to 91mm

Cycle rate
3 nails per second

Maximum cycle rate
1,000 nails per hour, 4,000 per day

Magazine capacity
55 nails

Fuel cell life
1,100 nails (approx)

Battery
4,000 fixings per charge (approx)

Charger
230 volt, maximum charge time 2 hours

Advantages

- Cordless, self powered - no hoses, no compressors, no setting up time
- Versatile - drives 51 - 90mm nails (subject to nail type)
- Drives up to a maximum of 2 nails per second and 1,000 per hour
- Slim line user friendly battery pack
- Lightweight, compact and tough with easy maintenance
- Sequential actuation for safe operation
- Tool free depth of drive adjustment
- Integrated belt and rafter hook

Typical applications

- Timber frame
- Roof battening
- Flat roofing
- Shuttering
- Joists
- Soffits
- Panelling
- Packaging
- Floor boarding
- Decking
- Chipboard
- Cladding
- Noggins
- Refurbishment
- Fencing

VJT Code	Description	Length (mm)	Nail-Ø (mm)	Shank type / Finish	Fuel Cells	Box Qty
06800010	IM350 Paslode IM350/90 Gas Strip Nailer (085101)	-	-	-	-	1
07000320	IM350 51 x 2.8mm Rg Gp Nail 3300 Fuel 3 (141204)	51	2.8	RG Galv Plus	3	3,300
07000400	IM350 75 x 3.1mm Rg Gp Nail 2200 Fuel 2 (141227)	75	3.1	RG Galv Plus	2	2,200
07000440	IM350 90 x 3.1mm St Gp Nail 2200 Fuel 2 (141234)	90	3.1	ST Galv Plus	2	2,200
07000560	IM350 51 x 2.8mm Rg SS Nail 1100 Fuel 1 (141257)	51	2.8	RG S / Steel	1	1,100



The New PPN35i is the first gas positive placement nailer. It makes light work of fixing joist hangers, truss clips, sole brackets or connector plates and strapping in even the most tight spaces.



Specification

Weight
3.9 kg

Power
95J

Dimensions
380 x 324 x 113mm

Nail range
3.4 x 35mm

Hardened twisted magazine capacity
1 strip of 23 nails

Fuel cell life
1,250 at -5°C (approx)

Battery
4,000 at -5°C (approx)

Charger
Maximum charge time of 2 hours

Advantages

- Self Locating Probe
- Depth Adjuster
- Hardened Twisted Nails
- Indicator lights
- On / Off battery
- Fuel cell loading
- Removable magazine
- Temperature performance

Typical applications

- Joist hangers
- Connector plates
- Truss clips
- Strapping
- Sole brackets
- Z-clips

VJT Code	Description	Length (mm)	Nail-Ø (mm)	Shank type / Finish	Fuel Cells	Box Qty
06800090	Paslode PPN35i Positive Placement Strip Nailer (014091)	-	-	-	-	1
07350020	PPN35i 3.4 x 35 Hardened Twisted Nails 2500 (141185)	35	3.4	Twisted ELGV	2	2,000



The professional's choice for cartridge nailing. Fully automatic, the Spitfire P370 is the easiest tool in the market to disassemble and maintain.

Specification

	Single Shot	With Magazine
Weight	2.7kg	2.88kg
Length	440mm	455mm
Magazine capacity	1 nail	10 nails (1 strip)
Impact force	350J	350J
Actuation pressure	17kg	17kg
Fastening / Fixing rate	1 nail every 2 seconds	1 nail every second
Rubber spring life	>5,000 nails	>3,000 nails

Advantages

- Automatic piston return - high install rate with low user fatigue
- Magazine - automatic firing of up to 10 nails
- Disc system - sequential disc system means no loads are wasted
- Power - can be adjusted to suit application and base material
- Energy absorbing bumper - absorbs vibration and reduces recoil
- Window - user can see if a disc is loaded in the tool
- Reload identification marker - informs the user when to reload the tool
- Adjustable magazine 4 x 90° - gives the user access in confined areas
- Easy Maintenance - Quick and easy to dismantle, clean and reassemble
- BSI and CIP accredited - quality tool meets all UK / International regulations

Typical applications

- Fixing timber sole plates
- Fixing kicker plates
- Formwork spacers
- Fixing fire protection brackets
- Fixing brick Ties
- Waterproofing / drainage
- Fixing dry lining track to concrete
- Wood sheeting (25mm)
- Fixing insulation (adaptor kit required)

VJT Code	Description	Length (mm)	Box Qty
07400025	Spit P370 Cartridge Tool	-	1
07600020	P370 Yellow Cartridges - Medium (031700)	N/A	100
07600090	P370 Red Cartridges - High (011658)	N/A	100
07700070	P370 C950 Pins for Concrete (032560)	50	100
07700080	P370 C960 Pins for Concrete (032570)	60	100
07700090	P370 C970 Pins for Concrete (032580)	70	100
07700160	P370 SC935 Pins for Steel (032940)	35	100
07700180	P370 SC960 Pins for Steel (032900)	60	100



The IM65 is a 16 gauge straight Brad Nailer, featuring a smaller, lighter shell with nail lockout, improved depth of drive and easy jam clearance.



VJT Code	Description	Length (mm)	Nail-Ø (mm)	Shank type / Finish	Fuel Cells	Box Qty
07100020	IM250A F16 x 38mm Glv Brd 2000/Fuel 2 (300271)	38	F16	Galv	2	2,000
07100040	IM250A F16 x 51mm Glv Brd 2000/Fuel 2 (300273)	51	F16	Galv	2	2,000




The IM65A has a distinctive angled magazine designed specifically for working in tight spaces and corners. The tool benefits from a small, light shell, nail lockout, excellent depth of drive adjuster and easy jam clearance.



VJT Code	Description	Length (mm)	Nail-Ø (mm)	Shank type / Finish	Fuel Cells	Box Qty
07200055	IM65 F16 x 38mm Glv Brd 2000/Fuel 2 (921589)	38	F16	Galv	2	2,000
07200075	IM65 F16 x 50mm Glv Brd 2000/Fuel 2 (921591)	50	F16	Galv	2	2,000
07200115	IM65 F16 x 50mm SS Brd 2000/Fuel 2 (921595)	50	F16	S/Steel	2	2,000



VJT Code	Description	Colour	Drill-Ø (mm)	Plug Length (mm)	Screw Size	Box Qty
00700020	Plastic Plug	Red	5.5	34	No. 6-10	1000
00700030	Plastic Plug	Brown	7.0	42	No. 10-14	1000



VJT Code	Description	Colour	Dimensions (mm)	Pack Qty
01100100	Plastic Shims	Yellow	100 x 50 x 1	1000
01100120	Plastic Shims	Green	100 x 50 x 2	1000
01100130	Plastic Shims	Blue	100 x 50 x 3	1000
01100140	Plastic Shims	Red	100 x 50 x 4	1000
01100150	Plastic Shims	Brown	100 x 50 x 5	1000
01100170	Plastic Shims	Greys	100 x 50 x 10	1000
01100180	Plastic Shims	Mixed	100 x 50 x Mixed Sizes	1300



VJT Code	Description	Drill-Ø (mm)	Max. Fixture Th'ness (mm)	Embed Depth (mm)	Min. Drill Depth (mm)	Overall Length (mm)	Box Qty
01400030	Frame Plug Csk Bzp 8/55/100	8	55	45	50	100	100
01400040	Frame Plug Csk Bzp 8/75/120	8	75	45	50	120	50
01400060	Frame Plug Csk Bzp 10/50/100	10	50	50	55	100	50
01400080	Frame Plug Csk Bzp 10/85/135	10	85	50	55	135	50
01400090	Frame Plug Csk Bzp 10/110/160	10	110	50	55	160	50



VJT Code	Description	Bosch Code	Type	Box Qty
10200100	Jigsaw Blades	T101B	Softwood <30mm Plastic <30mm	5
10200110	Jigsaw Blades	T101BR	Down Cut Wood Plastic <30mm	5
10200250	Jigsaw Blades	T345XF	Timber With Nails <65mm	5
10300220	Sabre Saw Blades	S1122VF	Metal <10mm Wood <175mm	5
10300310	Sabre Saw Blades	S617K	Rough Wood Pruning <100mm	5



VJT Code	Description	Size (mm)	No. Teeth	Bore (mm)	Box Qty
10400055	TCT Circular Saw Blade	190	24	30	1
10400090	TCT Circular Saw Blade	230	24	30	1




VJT Code	Description	Size (mm)	Box Qty	VJT Code	Description	Size (mm)	Box Qty
10700040	Nails Bright Round Wire	50 x 2.65	25	10900040	Nails Galvanised Round Wire	50 x 2.65	25
10700050	Nails Bright Round Wire	65 x 3.35	25	10900060	Nails Galvanised Round Wire	65 x 3.35	25
10700060	Nails Bright Round Wire	75 x 3.75	25	10900070	Nails Galvanised Round Wire	75 x 3.75	25
10700070	Nails Bright Round Wire	100 x 4.5	25	10900090	Nails Galvanised Round Wire	100 x 4.5	25
				10900330	Nails Galvanised Square Twist	30 x 3.75	25
				10900340	Nails Galvanised Square Twist	40 x 3.75	25

Note: The full range of Nails can be seen in the Product Catalogue



VJT Code	Description	Size	Box Qty
11700080	Staples Stainless Arrow	3/8	5000
11700100	Rapesco Staples	6mm	5000
11700110	Rapesco Staples	8mm	5000
11700120	Rapesco Staples	10mm	5000
11700130	Rapesco Staples	12mm	5000
11700140	Rapesco Staples	14mm	5000

Note: The full range of Nails and Staples can be seen in the Product Catalogue



VJT Code	Description	Size (")	Box Qty	VJT Code	Description	Size (mm)	Box Qty
11900210	Woodscrew Twinfast Bzp Csk Pozi	8 x 1 1/2	200	12600210	Hitech Csk Pozi Z & Y	4.0 x 40	200
11900230	Woodscrew Twinfast Bzp Csk Pozi	8 x 2	200	12600230	Hitech Csk Pozi Z & Y	4.0 x 50	200
11900320	Woodscrew Twinfast Bzp Csk Pozi	10 x 2	200	12600370	Hitech Csk Pozi Z & Y	5.0 x 50	200
11900350	Woodscrew Twinfast Bzp Csk Pozi	10 x 3	100	12600400	Hitech Csk Pozi Z & Y	5.0 x 80	100
11900370	Woodscrew Twinfast Bzp Csk Pozi	10 x 4	100	12600420	Hitech Csk Pozi Z & Y	5.0 x 100	100

Note: The full range of Woodscrews and Drywall screws can be seen in the Product Catalogue



VJT Code	Description	Diameter	Overall Length (mm)	Steel Thickness (mm)	Head Style	Box Qty
13600960	Teks ASF71 Timberfix 4.2 x 25 3Pt	4.2	25	1.5 - 3.0	Csk - P1	100
13600990	Teks ASF261 Timberfix 5.5 x 60 3Pt	5.5	60	1.5 - 3.0	Csk - P2	100
13601000	Teks ASF269 Timberfix 5.5 x 85 3Pt	5.5	85	1.5 - 3.0	Csk - P3	100
13601010	Teks ASF270 Timberfix 5.5 x 105 3Pt	5.5	105	1.5 - 3.0	Csk - P3	100
13601020	Teks ASF67 Timberfix 5.5 x 60 5Pt	5.5	60	5 - 12.5	Csk - P3	100
13601030	Teks ASF77 Timberfix 5.5 x 80 5Pt	5.5	80	5 - 12.5	Csk - P3	100
13601040	Teks ASF78 Timberfix 5.5 x 110 5Pt	5.5	110	5 - 12.5	Csk - P3	100




VJT Code	Description	Size (mm)	Box Qty	VJT Code	Description	Size (mm)	Box Qty
14200780	Bolt and Nut Bzp M12	12 x 100	1	15900760	Coachbolts Cup Sq Hex Bzp M12	12 x 100	1
14200790	Bolt and Nut Bzp M12	12 x 110	1	15900790	Coachbolts Cup Sq Hex Bzp M12	12 x 130	1
14200800	Bolt and Nut Bzp M12	12 x 120	1	15900810	Coachbolts Cup Sq Hex Bzp M12	12 x 150	1
14200810	Bolt and Nut Bzp M12	12 x 130	1	15900830	Coachbolts Cup Sq Hex Bzp M12	12 x 180	1
14200820	Bolt and Nut Bzp M12	12 x 140	1	15900850	Coachbolts Cup Sq Hex Bzp M12	12 x 220	1
14200830	Bolt and Nut Bzp M12	12 x 150	1				
14200840	Bolt and Nut Bzp M12	12 x 160	1				
14200850	Bolt and Nut Bzp M12	12 x 180	1				
14200860	Bolt and Nut Bzp M12	12 x 200	1				
14200870	Bolt and Nut Bzp M12	12 x 220	1				
15600070	Square BZP Washers M12	50 x 50 x 3	100				



VJT Code	Description	Size	Pack Qty
19400010	Gripfix	350ml	12
19400030	Contact Adhesive BS111	1l	1
19400040	Contact Adhesive BS111	5l	1
19400060	Waterproof PVAC3 Wood Adhesive	1kg	1
19400070	Waterproof PVAC3 Wood Adhesive	5kg	1
19400080	Mitre Bond	200ml	1
19400170	Lumberjack Brown Wood Adhesive 30MINPU7	750g	6
19500020	Click n Fix Foam FR	750ml	12
19500040	Gun Foam VJ B2	750ml	12
19500090	Fireshield 4Hr Intumescent Acrylic White	310ml	25
19500110	Intumastic ADL White	900ml	9
19700050	Timberfill White 2-Part Wood Filler	1.4kg	1



VJT Code	Description	Size	Box Qty
21600090	SPH-S Standard Masonry Hanger	50 x 100	40
21600140	SPH-S Standard Masonry Hanger	50 x 225	25
21700070	Maxi Joist Hanger	MS380/50	30
21700108	Maxi Joist Hanger	MS500/100	30
21800060	Speedy Standard Hanger	ST50	60
21800090	Speedy Standard Hanger	ST100	60
21900080	Galvanised Restraint Strap LD - 100 Bend	2.5 x 30 x 1000	20
21900240	Galvanised Restraint Strap HD - 150 Bend	5.0 x 30 x 1000	20



VJT Code	Description	Box Qty
22100010	Truss Clips TC38	100
22100020	Truss Clips TC50	100
22100070	Framing Anchors MFAC Universal	200



VJT Code	Description	Size (")	Qty
27200020	Jack 880UN20 Hardpoint Saw	20	1
28400245	Spear & Jackson B9522 Predator Hardpoint Saw	22	1

Please contact us if you can't find what you are looking for or to request a copy of our full catalogue of products. All products can be found on the website at www.vjtechnology.com

Hand Arm Vibration Syndrome is a major health and safety risk for people working with power tools. It is a legal requirement to manage the risks from noise and vibration exposure. VJT has set up a purpose-built Noise and Vibration Control Group (NVCG) to advise and guide you on how to best manage these risks. We provide:

- Independent, expert advice
- Practical, relevant risk management
- Hassle-free support
- Alternative solutions
- On-site testing
- Supporting literature written in conjunction with the Federation of Plastering and Drywall Contractors (FPDC)

V. J. Technology has worked with the FPDC to create a reference guide for drywall contractors that use power tools on a regular basis. This HAVS Exposure Guide gives practical information on installing fixings safely without exceeding the limits set out in the Control of Vibration at Work Regulations 2005.

For more information,
call 01233 652520



Ashford

Technology House
Brunswick Road
Ashford
Kent TN23 1EN

Telephone

Switchboard: 01233 637695
Sales: 01233 652550
Technical: 01233 652520
Accounts: 01233 652530
Credit control: 01233 652540

Fax

Purchasing: 01233 652599
Sales: 01233 664361
Accounts: 01233 613127
Credit control: 01233 646130
Email: enquiries@vjtechnology.com

Bristol

5 Fernhurst Road
Fishponds Trading Estate
Bristol BS5 7FG
Tel: 0117 301 3633
Fax: 0117 301 3634

Email: enquiries@vjtechnology.com