


Basic for Wood

Good and favourably priced

















T 119 B

HCS, Wavy set, milled

Softwood (2-15 mm), plywood, chipboards, wood core plywood, fibre boards



51	2	3	2 608 630 878	007245		
51	2	5	2 608 630 037	006835	F. 1	

T 119 BO

HCS, Wavy set, milled

Same as T 119 B, especially for curved cuts



51.	2	5	2 608	630 310	006941		
51	2	100	2 608	637 879	067461		











HCS, Side set, milled

Soft wood (4-50 mm), chipboard, joiner boards, fibre boards, quick cut





74 3 3	2 608 630 808	007139	 17/19/5/201
74 3 5			
74 3 25	2 608 633 A38	264211	1.0
74 3 100	2 608 637 878	067454	F4 3 53

Speed for Wood

Quick cut









T 144 D

HCS, Side set, ground

Softwood (5-50 mm), chipboards, wood core plywood, fibre boards















HCS, Side set, ground

Same as T144 D, especially for curved cuts





74 4 3	2 608 630 879	007221		
74 4 5	2 608 630 058	006859	100	
74 4 25	2 608 633 626	127707	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
74 4 100	2 609 637 991	067495		







T 344 D

HCS, Side set, ground

Thick construction timber, softwood (5-100 mm), chipboards, wood core plywood, fibre boards




5-100		<100			
-------	--	------	--	--	--

106 / 3	2 608 637 944	070942	
406 A E	0.000.000.004	264174	
120 4 5	2 000 033 A34	204174	

Clean for Wood

Clean cut





















HCS, Ground teeth

Soft wood, plywood, laminated boards (1.5-15 mm), especially for curve cuts

a de care		0.00	200		1477.00
	4 1 4 1	100	2-2-	110000	440000
13, 13	10.10		13-13		
			100000000	94/2003	ST 100 100 100 100 100 100 100 100 100 10

51	1,4	3	2 608 630 559	006972	A Company	ing jakan.
51	1,4	5	2 608 630 031	006798		

T 101 B

HCS, Ground teeth and taper ground

Softwood, chipboards, wood core plywood, fibre boards (3-30 mm), plastics/epoxy (dia. <30 mm)





74 2,5 3	2 608 630 557 006958	
74 2,5 5	2 608 630 030 006781	100 PM
74 2,5 25	2 608 633 622 127660	seed of Edition
74 2,5 100	2 608 637 876 067430	The second









HCS, Ground teeth and taper ground

Soft wood, chipboard, joiner boards, fibre boards (3-30 mm), laminated boards, clean surface





74	2,5	3	2 608 633 779	091374		
			2 608 630 014			10-11-12
74	2,5	25	2 608 633 623	127677		









HCS, Ground teeth and taper ground

Softwood, chipboards, wood core plywood, fibre boards (10-45 mm)





74 4	3	2 608 630 558	006965		
74 4	5	2 608 630 032	006804		100
74 4	25	2 608 633 577	148726	9-9-65	
74 4	100	2 608 637 877	067447		







T 301 CD

HCS, Ground teeth and taper ground

Softwood, chipboards, wood core plywood, fibre boards (10-65 mm)



10-65					
-------	--	--	--	--	--

		HOLD CONTROL OF THE PARTY OF TH	2012/01/2012 2012/01/2012	DESCRIPTION OF THE PROPERTY AND THE PROP
91 3 3	2 608 637 591	016315		
				B0800000000000000000000000000000000000
A4 A =	0.000.007.500			100000000000000000000000000000000000000
91 3 5	2 608 637 590	016308	2000 Section 1995	100

Precision for Wood

Cuts with precise angles













T 144 DP

HCS, Side set, ground


Softwood, chipboards, wood core plywood, fibre boards (5-50 mm), doors, kitchen work tops (<50 mm)






74 A 3	2 608 633 A31	264143	Post of Contract	
	_ 000 000 A0,	ASMIN'S		100
74 4 5	2 608 633 A35	264181		
BROOKS AND	SAMPLY SUPPLY TO THE SUPPLY SU	COMPANIENCE STREET		
74 4 25	2 608 633 A39	264228		
74 4 100	2 608 633 A42	264259		100

Jigsaw blades for wood





Cuts with precise angles













HCS, Side set, ground

Thick construction timber, softwood (5-100 mm), chipboards, wood core plywood, fibre boards



126 4	3	2 608 633 A32	264150	
126 4	5 .	2 608 633 A36	264198	













HCS, Side set, ground

Soft wood, chipboard, joiner boards, fibre boards (3-65 mm), doors, kitchen work surfaces (< 50 mm), clean cut





							100		
91	2,5	5 .	2 608	3 633 A37	264204		ul Selection	3.00A/A-754	
91	2,5	25	2 608	3 633 A40	264235	- (-1-21	A second	7.5-49-1	

PROGRESSOR for Wood

Quick and clean through thick and thin

PROGRESSOR NOOD











HCS, Ground teeth and taper ground


Softwood (2-65 mm), chipboards, wood core plywood, fibre boards






91	2-3	. 3	2 608	633 523	169493				
91	2-3	-5	2 608	633 528	169509		445		
91	2-3	25	2 608	633 524	169516				
91	2-3	100	2 608	633 A41	264242	1.27	40.00	(44)	ě

Jigsaw blades for hardwood



Speed for HardWood

Quick cut













T 144 DF BiM, Side set, ground

Hardwood and softwood (5-50 mm), all types of boards, including laminates



74 4	3 2 608 636 222	264310	
74 4	5 2 608 634 567	009430	
74 4	25 2 608 634 990	127738	










Thick hardwood and softwood (5-100 mm), all types of boards, including laminates


	5-100 5-100	<100			est place
--	-------------	------	--	--	-----------

126	4	3	2 608	636 223	264327		
126	4	5	2 608	634 243	091947		

Jigsaw blades for hardwood



Clean for HardWood

























P4 3 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	CONSISSION
57 1,4 3 2 608 636 225 264341	
	\$555,000 (\$450.00)
57 1,4 5 2 608 634 233 091848	April 1
2 111 9 2 930 901 290 931040	300 H 30 H











BiM, Ground teeth

Hard wood, laminated boards/HPL (2-30 mm), plastics/epoxy (diameter < 30 mm), no tears





74 1,7 3	2 608 636 224 26	4334	
74 1,7 5	2 608 634 897 09	6355	









T 101 BF

BiM, Ground teeth and taper ground

CUT Hard wood, laminated boards/HPL (3-30 mm), plastics/epoxy (diameter < 30 mm)





74 2,5	3	2 608 636 226 2643	58 1 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1977 1985
74 2,5	. 5	2 608 634 234 0918	55	Medical Electrical
		2 608 634 988 1277		











T 101 BRF

BiM, Ground teeth and taper ground Laminated boards (3-30 mm), kitchen work surfaces (3-45 mm), clean surface





74	2.5	3	2 608 636	227	264365			8
								22
74	2,5	5	2 608 634	235	091862	(3)7	1900 CT 200	Ž.
			2 608 634					
Section and the second		389007 4, 2 700000	2 000 034		124121	100 Co. (100 Co.)		3R















BiM, Side set, ground

Hardwood and softwood (4-65 mm), laminated boards/HPL




-65 4-65	91 3 3 2 608 636 228 264372 91 3 5 2 608 636 229 264389	

Jigsaw blades for wood with metal



PROGRESSOR for Wood and



PROGRESSOR Wood Metal











T 345 XF BiM, Side set, milled

Construction timber with nails (< 65 mm), wood materials, plastics, metal plates, pipes/profiles, incl. aluminium (diameter 3-10 mm)



<65 <65	3-10	3-10	3-10		
---------	------	------	------	--	--


							E (16)		
106	2,4-5	5	2 608	634	994	128025			
106	2,4-5	100	2 608	634	486	266208	950000	No. of the last	

Jigsaw blades for metal



Basic for Metal

Good and favourably priced



basic Metal













T 118 G

HSS, Wavy set, milled Very thin metal plate (0.5-1.5 mm)

0,5-1,5				
---------	--	--	--	--

			2 608 631 674	
51	0,7	5	2 608 631 012	0072

51	0,7	3	2 608 631 674	007566	of the state of	A LEAST
51	0,7	5	2 608 631 012	007283		

T 118 A

HSS, Wavy set, milled Thin metal plate (1-3 mm)

1-3					4
-----	--	--	--	--	---

							3111	200	
					127769				
51	1,2	100	2 608	631 964	067492	0.00	12 A 15 A 15	10001515	







Same as T	118B	espe	cially	for curved	cuts
1-3					51

51 19	3 2 608 631 672	007542	167,000 5 5 6 6 6
51 19	5 2 608 631 032	007337	ATTEMATICAL HEALTHCASE
E4 4.0	100 2 608 631 706	070400	



T 318 A

T 218 A


HSS, Wavy set, milled

HSS, Wavy set, milled

Thin sheet metal (1-3 mm), pipes + profiles, incl. aluminium (dia. <65 mm)




7722 7732			CONTRACTOR AND ASSESSED.	CONTRACTOR SANS	SPANISH STATES
106 1,2	3 2 608	638 698	204464		
106 1,2	5 2608	631 319	007375	A	
400 40	400 0000	000 000	070400		
106 1,2	100 2000	531 808	2/9499		3.40



Basic for Metal

Good and favourably priced











HSS, Wavy set, milled Medium-thick metal plate (2.5-6 mm)



51	2	. 5	2 608	631 014	007306	v (1.34	800-14	0.000
							10-5-5	
51	2	100	2 608	631 965	067508		122 063 353	









T 318 B

HSS, Wavy set, milled

Medium-thick metal plates (2.5-6 mm), pipes +profiles incl. aluminium (diameter < 65 mm), precise angle cut





106	2.	3	2 608 638 699	264471		QENESS A	
106	2	5	2 608 631 404	007382	######################################		7-12-1-12

Non-breakable with a long life











BiM, Wavy set, milled Thin metal plate (1-3 mm)





57	1,2	3	2 608	634 6	94	035309			ć	
57	1,2	5	2 608	634 5	05	007627				
57	1,2	25	2 608	634 9	91	127745		747	1. 4.4.6.50	
57	1.2	100	2 608	8 634 7	74	067522	100		San Francisco	









T 318 AF

BiM, Wavy set, milled

Thin sheet metal (1-3 mm), sandwich materials (<65 mm), pipes + open profiles, incl. aluminium (dia. <65 mm)





106 1,1					
106 1,1	5 260	8 634 241	091923	7.5	









BiM, Wavy set, milled

Thin metal plates (1.5-4 mm), especially for curve cuts



1,5-4			

57	1,5	3	2 608	636 231	264402		
57	1,5	5	2 608	634 237	091893	11.0	







T 118 BF

BiM, Wavy set, milled Medium-thick metal plate (2.5-6 mm)



2,5-6	# # **		12

57 2	3 26	08 636 232	264419			SAME OF THE PERSON NAMED IN
57 2	5 26	08 634 503	007603	100	140	
57 2	25 26	08 634 992	127752		1000 30200	SCHOOL STATE
	PROGRAMME TO COME		INCOMPRESENTATION OF	ENGLISHE CONTROL		â








T 318 BF

Medium-thick sheet metal (2.5-6 mm), sandwich materials (<65 mm), pipes + profiles, incl. aluminium/epoxy (dia. <65 mm)




106	1,8	3	2 608 63	6 233	264426			
106	1,8	5	2 608 63	4 242	091930	1000	100	

Jigsaw blades for metal



PROGRESSOR for Meta

Quickly through thick and thin















HSS, Side set, milled

Thin to thick sheet metal (1.5-10 mm), pipes + profiles, incl. aluminium (dia. < 30 mm)



15-10	<30	<30	5.5	i ara	
1,5-10	<30	<30			

74 1,2-2,6 3	2 608 638 472	128049	
74 1,2:2,6 5	2 608 638 473	128056	
74 1,2-2,6 25	2 608 638 474	128063	
74 1,2-2,6 100	2 608 638 700	264488	

Special for aluminium

Aluminium and non-ferrous metal











HSS, Side set, milled

Thin to thick sheet metal (3-15 mm), pipes + profiles, (dia. < 30 mm)





						4.000	
74	3	5	2 608	631 017	007313	5 9 Aug	
74	3	100	2 608	631 966	067515	 42.5	












HSS, Side set, milled

Same as T127D, especially for curved cuts




		3 2 608 631 671		
		5 2 608 631 030		
74	3	100 2 608 638 382	279475	Maria de la companya

Jigsaw blades for special applications



Special for Inox

Stainless steel






















		5 Karasa Maria Baran Maria Baran
51 1,1 3	2 608 630 663 017749	











T 118 EHM

TC, Hard-faced (bar), ground Medium-thick stainless steel sheet metal (Inox) (2-5 mm)





			2 608 633 H04			
51	1,4	3	2 608 630 665	017756	47777	e e la laconé

Special for Synthetics

Abrasive plastics

special Synthetics











TC, Hard-faced (bar), ground Glass fibre reinforced plastics, Corian (dia. <65 mm)







91	3,3	1	2 608 633 H07	264303	-,
91	3,3	3	2 608 633 164	091824	1777

Special for fibre and plaster

Fibre and cement materials













TC, Tungsten carbide tipped, side set

Glass fibre reinforced plastics (5-20 mm), plasterboard, fibre cement boards (5-50 mm)







74 4,3	1 2 608 633 H05 264	280	
74 4,3	3 2 608 633 175 109	758	












TC, Tungsten carbide tipped, side set

Glass fibre reinforced plastics (5-50 mm), plasterboard, fibre cement boards (<80 mm)

5-80 <80	5-80	3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 -	5-50
----------	------	---	------


100 40	4	2 608 633 H06	264207	1000		
106 42	9	2 608 633 176	100765			
PRODUCTION STORAGE STORAGE	200000000000000000000000000000000000000	2 000 000 110	MI TO SERVICE STREET	200700 (Alexandra)	and the second second second second	1000

Jigsaw blades for special applications



Special for Ceramics

Ceramic materials















TC, TC-coated With grit 30

Soft ceramic wall tiles, glass fibre plastic, cast iron (5-15 mm), coarse cut





51		4	2 600 6	22 DAG	266105				į
			2 000	JOO NOO	200103		A		i
	STREET,	2001	A AAA	WAY LOVE	Annana	6800000	STATE OF STREET	SOMERS NEWS	ŧ
31		J	2 608 (333 104	UJ5286		F (54, 31)		









T 150 Riff

TC, TC-coated

With grit 50

Soft ceramic wall tiles, glass fibre plastic, cast iron (5-10 mm), fine cut





51	1.	2 608 633 R07 266192	
51.	3	2 608 633 105 035293	

Special for Acrylic

Acrylic glass

special ACTYlic











HSS, Ground teeth and taper ground Perspex, polycarbonate (2-20 mm)





2 608 631 670 007528	
2 608 631 010 007276	

Special for soft material

Soft materials

special Soft-Material





HCS, Ground edge

Blade

Carton, polystyrene, carpet, leather, rubber (<50 mm)











T 313 AW

HCS, Wavy ground

Blade

Carton, polystyrene, carpet, leather, rubber (<100 mm)





